

Section:	SID	Exam 1	Exam 2	Exam 3	Final	HW tot	Quiz total	% of Lab	Lab points	Safety	Overall Total	over all %	letter grade
3	xxx-xx-6304	70	72.5	60	162	50.0	98.5	86.5	173.0	15	701.0	77.9	C+
4	xxx-xx-1144	74	68	70	162	50.0	106	86.2	172.3	15	717.3	79.7	B-
2	xxx-xx-4636	74	75.5	65	156	26.7	83	83.3	166.5	15	661.7	73.5	C
4	xxx-xx-1146	80	65	67.5	152	50.0	114.5	95.0	190.0	15	734.0	81.6	B
3	xxx-xx-3918	86	84	70	168	50.0	124.5	95.9	191.9	15	789.4	87.7	B+
5	xxx-xx-4795	62	41.5			0.0	24	0.0	0.0	15	142.5	15.8	F
3	xxx-xx-0724	90	93	90	162	50.0	129.5	94.6	189.3	15	818.8	91.0	A
5	xxx-xx-0173	82	61	65	148	16.7	90.5	84.9	169.7	15	647.9	72.0	C
5	xxx-xx-0896	88	62.5	65	142	46.7	91	77.5	155.0	15	665.1	73.9	C+
2	xxx-xx-1397	64	42.5	40	132	40.0	46	70.8	141.6	15	521.1	57.9	D
4	xxx-xx-7782	70	44	52.5	118	50.0	109	93.5	186.9	15	645.4	71.7	C
4	xxx-xx-9851	68	42.5	42.5	128	40.8	77	72.7	145.4	15	559.2	62.1	D
5	xxx-xx-9137	44	39	40	86	46.7	50.5	73.9	147.7	15	468.9	52.1	D
4	xxx-xx-2881	52	37	50	114	35.2	50	72.7	145.4	15	498.6	55.4	D
4	xxx-xx-8967	92	73	70	142	49.5	123	92.3	184.6	15	749.1	83.2	B
5	xxx-xx-4746	74	64.5	77.5	142	49.2	85	77.2	154.4	15	661.5	73.5	C
5	xxx-xx-5433	2				0.0	0	6.3	12.6	15	29.6	3.3	WU
3	xxx-xx-9889	72	55.5	35	132	33.3	76	83.3	166.7	15	585.5	65.1	D
4	xxx-xx-7079	86	66.5	65	156	34.8	91	99.2	198.5	15	712.8	79.2	B-
5	xxx-xx-7999	78	60.5	55	142	30.0	70	79.5	159.0	15	609.5	67.7	D
3	xxx-xx-4377	76	40	67.5	152	50.0	120.5	85.7	171.5	15	692.5	76.9	C+
2	xxx-xx-0288	94	86	67.5	152	32.5	104.5	83.3	166.5	15	718.0	79.8	B-
5	xxx-xx-0293	76	63	60	166	40.0	93	74.2	148.4	15	661.4	73.5	C
2	xxx-xx-1343	76	56	55	118	25.0	75.5	79.2	158.4	15	578.9	64.3	D
5	xxx-xx-5255	66	35	40	104	30.0	39	73.6	147.3	15	476.3	52.9	D
4	xxx-xx-8913	0				3.3	10.5	7.7	15.4	15	44.2	4.9	WU
5	xxx-xx-8913	70	69.5	65	156	45.0	84	66.7	133.3	15	637.8	70.9	C
4	xxx-xx-5085	64				6.7	15.5	34.2	68.5	15	169.6	18.8	WU
2	xxx-xx-6248	82	62.5	65	156	10.0	79	81.2	162.4	15	631.9	70.2	C-
2	xxx-xx-5754	86	70	47.5	162	37.8	73	79.3	158.6	15	649.9	72.2	C
3	xxx-xx-3599	54	72	60	144	50.0	101		0.0	15	496.0	55.1	D
2	xxx-xx-1281	70	68.5	57.5	144	43.3	67.5	73.2	146.3	15	612.2	68.0	D
2	xxx-xx-3545	60	46.5	45	106	46.7	60.5	67.0	134.0	15	513.7	72.0	C
5	xxx-xx-2029	90	80.5	85	176	50.0	119.5	92.5	185.0	15	801.0	89.0	A-
4	xxx-xx-9322	70	59.5	55	152	39.8	70.5	86.0	171.9	15	633.8	70.4	C-
2	xxx-xx-3195	84	70.5	67.5	142	46.7	103	94.9	189.9	15	718.5	79.8	B-
5	xxx-xx-9551	80	69	60	142	50.0	78.5	80.9	161.8	15	656.3	72.9	C
3	xxx-xx-5106	70	45	67.5	134	45.0	82.5	81.5	163.0	15	622.0	69.1	C-
3	xxx-xx-5540	74	71	67.5	168	50.0	122	93.0	185.9	15	753.4	83.7	B
2	xxx-xx-4724	94	75	72.5	176	50.0	116	95.9	191.9	15	790.4	87.8	B+
5	xxx-xx-9843	76	57.5	77.5	158	50.0	67	76.7	153.3	15	654.3	72.7	C
2	xxx-xx-9937	72	55.5	50	158	36.7	83	91.6	183.1	15	653.3	72.6	C
4	xxx-xx-3550	56	45.5	52.5	152	50.0	72.5	88.8	177.7	15	621.2	69.0	C-
5	xxx-xx-8200	74				20.0	36	31.3	62.6	15	207.6	23.1	WU
5	xxx-xx-5042	52	32	40		25.0	32	63.0	126.1	15	322.1	35.8	F
2	xxx-xx-1423	86	79.5	85	180	50.0	118.5	102.3	204.5	15	818.5	90.9	A
3	xxx-xx-0918	74	70.5	67.5	142	43.3	103.5	76.3	152.6	15	668.4	74.3	C+
4	xxx-xx-2583	78	65	57.5	152	18.7	75.5	85.0	170.0	15	631.7	70.2	C-
3	xxx-xx-6625	88	82	70	152	50.0	113	92.4	184.8	15	754.8	83.9	B
3	xxx-xx-5376	74				13.3	80.5	40.9	81.9	15	264.7	29.4	WU
4	xxx-xx-8576	62	56.5	65	124	43.2	62	73.1	146.2	15	573.8	63.8	D
2	xxx-xx-3220	78	50.5	57.5	132	46.7	80.5	82.6	165.2	15	625.4	69.5	C-
4	xxx-xx-9223	76	78.5	67.5	158	50.0	105.5	88.8	177.7	15	728.2	80.9	B
2	xxx-xx-1054	90	61.5	62.5	144	41.7	101.5	96.7	193.4	15	709.6	78.8	B-
5	xxx-xx-9658	84	72	80	142	41.7	108.5	76.9	153.9	15	697.0	77.4	C+
3	xxx-xx-9073	80	62	62.5	134	43.3	89	88.3	176.7	15	662.5	73.6	C+
5	xxx-xx-8467	2				0.0	0	0.0	0.0	15	17.0	1.9	WU
3	xxx-xx-7872	90	76	82.5	142	46.7	111.5	92.8	185.6	15	749.2	83.2	B
2	xxx-xx-2466	88	87.5	77.5	166	50.0	113.5	96.6	193.3	15	790.8	87.9	B+
3	xxx-xx-1096	90	75	80	166	50.0	125	91.7	183.3	15	784.3	87.1	B+
2	xxx-xx-5356	82	67.5	70	156	40.0	88	85.8	171.7	15	690.2	76.7	C+
4	xxx-xx-1151	66	54	50	134	36.5	110.5	90.0	180.0	15	646.0	71.8	C
4	xxx-xx-0295	94	74.5	75	168	49.8	121.5	90.0	180.0	15	777.8	86.4	B+
3	xxx-xx-5375	98	87.5	82.5	172	50.0	126.5	93.7	187.4	15	818.9	91.0	A
5	xxx-xx-0773	68	30			1.7	34	40.0	80.0	15	228.7	25.4	F
4	xxx-xx-3383	80	61.5	62.5	134	50.0	108.5	95.8	191.5	15	703.0	78.1	C+
5	xxx-xx-0177	90	83.5	82.5	156	46.7	102.5	81.9	163.7	15	739.9	82.2	B
5	xxx-xx-3849	72	56	50	128	46.7	63.5	82.6	165.3	15	596.4	66.3	D
4	xxx-xx-1596	84	77	65	142	49.7	113.5	88.5	176.9	15	723.1	80.3	B
3	xxx-xx-2267	90	74	57.5	158	46.7	105	93.5	187.0	15	733.2	81.5	B

4	xxx-xx-5522	50	44	60	118	35.2	76	77.7	155.4	15	553.6	61.5	D
4	xxx-xx-2577	88	71.5	80	156	49.8	117.5	90.8	181.5	15	759.4	84.4	B+
3	xxx-xx-0583	84	87.5	67.5	162	50.0	124	93.0	185.9	15	775.9	86.2	B+
4	xxx-xx-8076	76	75.5	0		33.3	81.5	45.4	90.8	15	372.1	41.3	F
2	xxx-xx-6737	84	73.5	65	158	46.7	90	95.2	190.5	15	722.6	80.3	B-
2	xxx-xx-3290	74	37.5	57.5	132	35.0	71	76.9	153.7	15	575.7	64.0	D
3	xxx-xx-3722	96	80	95	182	50.0	132	95.9	191.9	15	841.9	93.5	A
3	xxx-xx-0140	70	72.5	85	144	50.0	99	93.7	187.4	15	722.9	80.3	B-
4	xxx-xx-1481	66	49.5	65	120	40.0	76	88.8	177.7	15	609.2	67.7	D
5	xxx-xx-2326	74	51.5	57.5	128	50.0	93	73.0	146.1	15	615.1	68.3	D
5	xxx-xx-3792	76	75	57.5	158	50.0	100	81.3	162.5	15	694.0	77.1	C+
2	xxx-xx-2947	90	83	82.5	166	46.7	125	98.0	196.0	15	804.2	89.4	A-
3	xxx-xx-9722	88	65	65	166	50.0	94.5	88.0	175.9	15	719.4	79.9	B-
2	xxx-xx-3708	72	56	62.5	96	40.0	58.5	66.7	133.3	15	533.3	59.3	D
3	xxx-xx-3540	66	53	65	156	50.0	94.5	84.4	168.9	15	668.4	74.3	C+
2	xxx-xx-3609	68	56	70	162	50.0	62	89.7	179.4	15	662.4	73.6	C
3	xxx-xx-3153	80	68.5	72.5	172	50.0	121.5	92.4	184.8	15	764.3	84.9	B+
2	xxx-xx-7094	86	55.5	65	138	29.2	90.5	70.6	141.2	15	620.3	68.9	C-
2	xxx-xx-3369	86	86.5	75	158	43.3	106.5	83.2	166.3	15	736.7	81.9	B
3	xxx-xx-0361	82	92	70	168	31.7	127	88.1	176.3	15	762.0	84.7	B+
5	xxx-xx-6962	84	76	75	164	46.7	110	11.9	23.7	15	594.4	66.0	D
4	xxx-xx-5588	74	59.5	52.5	138	43.2	83	83.8	167.7	15	632.9	70.3	C-
3	xxx-xx-3582	96	76	82.5	182	50.0	122	95.4	190.7	15	814.2	90.5	A-
5	xxx-xx-8437	74	72.5	55	128	36.7	79.5	76.9	153.8	15	614.4	68.3	D
5	xxx-xx-5262	76	48.5			15.0	55	40.9	81.9	15	291.4	32.4	F
2	xxx-xx-5648	94	84.5	85	176	48.3	116	98.5	197.0	15	815.9	90.7	A
3	xxx-xx-3029	82	64	67.5	172	50.0	107	88.3	176.7	15	734.2	81.6	B
2	xxx-xx-7687	80	60.5	77.5	148	46.0	93.5	97.4	194.8	15	715.3	79.5	B-
5	xxx-xx-7933	64	68.5	62.5	134	43.3	79.5	69.1	138.3	15	605.1	67.2	D
2	xxx-xx-7639	62	55	77.5	152	45.8	71	99.1	198.1	15	676.4	75.2	C+
5	xxx-xx-4310	66	66	65	158	43.3	69	70.6	141.1	15	623.4	69.3	C-
5	xxx-xx-8338	68				3.3	16	7.4	14.8	15	117.1	13.0	WU
4	xxx-xx-5331	74	58.5	62.5	148	45.5	93	70.0	140.0	15	636.5	70.7	C-
4	xxx-xx-6580	72	62	50	156	41.8	60	83.5	166.9	15	623.8	69.3	C-