

3. A compound was found to be made of only H, I, and O. Analysis indicates that the compound contains 0.57% H and 72.14 % I. The remaining mass is due to O.
 - a. What is the empirical formula of the compound?
 - b. If the molar mass of the compound is 175.91 g/mol, what is the molecular formula of the compound?
4. One of the many compounds found in chocolate is composed of 46.67 % C, 4.46 % H, 31.0% N, and 17.76% O.
 - a. Calculate the empirical formula for this compound.

- b. What is the molecular formula of this compound if the molar mass is 180.167 g/mol?

Part III: Additional Practice Problems

5. On the next page we'll do a harder example where we don't get nice mole ratios when we divide by the smallest number of moles. While it is fine to round off numbers like 3.97 mol (to 4 mol) or 1.02 mol (to 1 mol), sometimes the mole ratios aren't close enough to round off. To get us ready for that type of problem, complete the following table showing what whole number you should multiply each of the following moles by (rather than rounding off) in order to get a final number of moles that is either a whole number or close enough to round off to a whole number. The first one is done for you. Step 5 on page 185 of your textbook has more examples.

Number of moles	What to multiply by	Final number of moles
3.10	x 10	= 31.0
1.24		
2.34		
1.48		

6. Diethylene glycol (used in antifreeze blending) has the composition: 45.27% C, 9.50 % H, and 45.23% O by mass. Its molar mass is 106.12 g/mol. What is the molecular formula of diethylene glycol?
7. The heme portion of hemoglobin contains iron ions that carry oxygen around the blood stream. The mass percent composition of heme is 66.2% C, 5.23% H, 9.06% Fe, 9.09% N and 10.4% O. If the heme portion of hemoglobin has a molar mass of 616.49 g/mol, what are the empirical and molecular formulas for heme?

8. Rilpivirine is a drug used to prevent HIV infections. It has a mass percent composition of carbon 72.11%, H 4.95%, and N 22.94%.

a. Determine the empirical formula using the mass percent composition.

b. The molar mass of Rilpivirine is 366.43 g/mol. Find the molecular formula.